Contents

VOLUME 10 NUMBER 1

MicroReviews

- 1 The phage RNA polymerases are related to DNA polymerases and reverse transcriptases W. T. McAllister & C. A. Raskin
- 7 Human Menkes X-chromosome disease and the staphylococcal cadmium-resistance ATPase: a remarkable similarity in protein sequences S. Silver, G. Nucifora & L. T. Phung

Research Articles

- Analysis in Neisseria meningitidis and other Neisseria species of genes homologous to the FKBP immunophilin family C. F. McAllister & D. S. Stephens
- 25 Clustering and co-ordinated activation of carotenoid genes in *Myxococcus xanthus* by blue light
 R. Ruiz-Vázguez, M. Fontes & F. J. Murillo
- 35 Structural and functional analyses of the FinP antisense RNA regulatory system of the F conjugative plasmid
 T. van Biesen, F. Söderborn, E. G. H. Wagner & L. S. Frost
- 45 Transcriptional regulation of Salmonella enterica virulence plasmid genes in cultured macrophages
 M. Rhen, P. Riikonen & S. Taira
- 57 Retrotransfer of IncP plasmid R751 from Escherichia coli maxicells: evidence for the genetic sufficiency of self-transferable plasmids for bacterial conjugation J. A. Heinemann & R. G. Ankenbauer
- 63 Identification and characterization of a siderophore regulatory gene (*pfrA*) of *Pseudomonas putida* WCS358: homology to the alginate regulatory gene *algQ* of *Pseudomonas aeruginosa* V. Venturi, C. Ottevanger, J. Leong & P. J. Weisbeek
- 75 The influence of DNA topology on the environmental regulation of a pH-regulated locus in Salmonella typhimurium
 K. Karem & J. W. Foster
- The major heat-modifiable outer membrane protein CD is highly conserved among strains of *Branhamella catarrhalis* T. F. Murphy, C. Kirkham & A. J. Lesse
- 99 Characterization of comE, a late competence operon of Bacillus subtilis required for the binding and uptake of transforming DNA J. Hahn, G. Inamine, Y. Kozlov & D. Dubnau

- 113 Integration host factor binds to a unique class of complex repetitive extragenic DNA sequences in *Escherichia coli* A. B. Oppenheim, K. E. Rudd, I. Mendelson & D. Teff
- 123 nif gene expression studies in Rhodobacter capsulatus: ntrC-independent repression by high ammonium concentrations
 P. Hübner, B. Masepohl, W. Klipp & T. A. Bickle
- Isolation and characterization of the secE homologue gene of Bacillus subtilis
 S. M. Jeong, H. Yoshikawa & H. Takahashi
- 143 Isogenic P-fimbrial deletion mutants of pyelonephritogenic Escherichia coli: the role of αGal(1–4)βGal binding in virulence of a wild-type strain H. L. T. Mobley, K. G. Jarvis, J. P. Elwood, D. I. Whittle, C. V. Lockatell, R. G. Russell, D. E. Johnson, M. S. Donnenberg & J. W. Warren
- 157 Analysis of the transfer region of the Streptomyces plasmid SCP2* D.-F. Brolle, H. Pape, D. A. Hopwood & T. Kieser
- 171 Proteolytic cleavage at arginine residues within the hydrophilic disulphide loop of the Escherichia coli Shiga-like toxin I A subunit is not essential for cytotoxicity

 B. J. Burgess & L. M. Roberts
- 181 The response of the picoplanktonic marine cyanobacterium *Synechococcus* species WH7803 to phosphate starvation involves a protein homologous to the periplasmic phosphate-binding protein of *Escherichia coli* D. J. Scanlan, N. H. Mann & N. G. Carr
- Bacillus subtilis CtaA and CtaB function in haem A biosynthesis
 Svensson, M. Lübben & L. Hederstedt
- Expression of meningococcal epitopes in LamB of Escherichia coli and the stimulation of serosubtype-specific antibody responses J. McCarvil, A. J. McKenna, C. Grief, C.-S. Hoy, D. Sesardic, M. C. J. Maiden & I. M. Feavers

VOLUME 10 NUMBER 2

MicroReviews

- 215 Gene-specific translational control of the yeast GCN4 gene by phosphorylation of eukaryotic initiation factor 2
 A. G. Hinnebusch
- 225 Control and function of lysyl-tRNA synthetases: diversity and co-ordination Y. Nakamura & K. Ito

- 233 Common components in the assembly of type 4 fimbriae, DNA transfer systems, filamentous phage and protein-secretion apparatus: a general system for the formation of surface-associated protein complexes M. Hobbs & J. S. Mattick
- 245 The galactose regulon of Escherichia coli M. J. Weickert & S. Adhya
- 253 Osmostress response of the yeast Saccharomyces W. H. Mager & J. C. S. Varela

Research Articles

- 259 Identification of genes involved in utilization of acetate and acetoin in *Bacillus subtilis* F. J. Grundy, D. A. Waters, T. Y. Takova & T. M. Henkin
- 273 Expression of the gene encoding the major bacterial nucleoid protein H-NS is subject to transcriptional auto-repression M. Falconi, N. P. Higgins, R. Spurio, C. L. Pon & C. O. Gualerzi
- 283 Linker-insertion mutagenesis of *Pseudomonas aeruginosa* outer membrane protein OprF R. S. Y. Wong, H. Jost & R. E. W. Hancock
- Inhibition of bacteriophage Mu transposition by Mu repressor and Fis
 C. M. van Drunen, C. van Zuylen, E. J. Mientjes, N. Goosen and P. van de Putte
- Deletions of Tn916-like transposons are implicated in tetM-mediated resistance in pathogenic Neisseria
 J. S. Swartley, C. F. McAllister, R. A. Hajjeh, D. W. Heinrich & D. S. Stephens
- 311 The ferric iron-binding protein of pathogenic Neisseria spp. functions as a periplasmic transport protein in iron acquisition from human transferrin C.-Y. Chen, S. A. Berish, S. A. Morse & T. A. Mietzner
- Theta replication of the lactococcal plasmid pWV02
 R. Kiewiet, S. Bron, K. de Jonge, G. Venema & J. F. M. L. Seegers
- 329 Homology between a genetic locus (mdoA) involved in the osmoregulated biosynthesis of periplasmic glucans in Escherichia coli and a genetic locus (hrpM) controlling pathogenicity of Pseudomonas syringae

 Loubens, L. Debarbieux, A. Bohin, J.-M. Lacroix & J.-P. Bohin
- A lowered concentration of cAMP receptor protein caused by glucose is an important determinant for catabolite repression in *Escherichia coli* H. Ishizuka, A. Hanamura, T. Kunimura & H. Aiba
- 351 Resistance to nodulation of cv. Afghanistan peas is overcome by nodX, which mediates an O-acetylation of the Rhizobium leguminosarum lipo-oligosaccharide nodulation factor J. L. Firmin, K. E. Wilson, R. W. Carlson, A. E. Davies & J. A. Downie

- Cloning and molecular analysis of the galE gene of Neisseria meningitidis and its role in lipopolysaccharide biosynthesis
 M. P. Jennings, P. van der Ley, K. E. Wilks, D. J. Maskell, J. T. Poolman & E. R. Moxon
- Bacillus subtilis genome project: cloning and sequencing of the 97 kb region from 325° to 333°
 P. Glaser, F. Kunst, M. Arnaud, M.-P. Coudart, W. Gonzales, M.-F. Hullo, M. Ionescu, B. Lubochinsky, L. Marcelino, I. Moszer, E. Presecan, M. Santana, E. Schneider, J. Schweizer, A. Vertes, G. Rapoport & A. Danchin
- 385 The organization of the *Bacillus subtilis* 168 chromosome region between the *spoVA* and *serA* genetic loci, based on sequence data A. Sorokin, E. Zumstein, V. Azevedo, S. D. Ehrlich & P. Serror
- 397 The transcriptional organization of the Bacillus subtilis 168 chromosome region between the spoVAF and serA genetic loci V. Azevedo, A. Sorokin, S. D. Ehrlich & P. Serror
- Identification and characterization of stationary phase-inducible genes in Escherichia coli
 D. Weichart, R. Lange, N. Henneberg & R. Hengge-Aronis
- 421 Cytochrome bd biosynthesis in Escherichia coli: the sequences of the cydC and cydD genes suggest that they encode the components of an ABC membrane transporter R. K. Poole, L. Hatch, M. W. J. Cleeter, F. Gibson, G. B. Cox & G. Wu
- 431 Xcp-mediated protein secretion in Pseudomonas aeruginosa: identification of two additional genes and evidence for regulation of xcp gene expression M. Akrim, M. Bally, G. Ball, J. Tommassen, H. Teerink, A. Filloux & A. Lazdunski

VOLUME 10 NUMBER 3

MicroReviews

- 445 Immunophilins: structure–function relationship and possible role in microbial pathogenicity J. Hacker & G. Fischer
- 457 Cell-cycle-specific initiation of replication K. Nordström & S. J. Austin
- 465 DNA rearrangements and phenotypic switching in prokaryotes K. Dybvig

Research Articles

473 Topoisomerase mutations affect the relative abundance of many Escherichia coli proteins T. R. Steck, R. J. Franco, J.-Y. Wang & K. Drlica

- 483 Two distinct ATP-binding domains are needed to promote protein export by Escherichia coli SecA ATPase
 C. Mitchell & D. Oliver
- Meningococcal Opa and Opc proteins: their role in colonization and invasion of human epithelial and endothelial cells
 M. Virji, K. Makepeace, D. J. P. Ferguson, M. Achtman & E. R. Moxon
- A novel strategy for the isolation of luxl homologues: evidence for the widespread distribution of a LuxR:Luxl superfamily in enteric bacteria
 S. Swift, M. K. Winson, P. F. Chan, N. J. Bainton, M. Birdsall, P. J. Reeves, C. E. D. Rees, S. R. Chhabra, P. J. Hill, J. P. Throup, B. W. Bycroft, G. P. C. Salmond, P. Williams & G. S. A. B. Stewart
- The rpsL gene and streptomycin resistance in single and multiple drug-resistant strains of Mycobacterium tuberculosis
 J. Nair, D. A. Rouse, G.-H. Bai & S. L. Morris
- 529 Cloning and sequence analysis of an EnvCD homologue in *Pseudomonas aeruginosa*: regulation by iron and possible involvement in the secretion of the siderophore pyoverdine K. Poole, D. E. Heinrichs & S. Neshat
- 545 Cloning of Bordetella bronchiseptica urease genes and analysis of colonization by a ureasenegative mutant strain in a guinea-pig model D. M. Monack & S. Falkow
- 555 Interactions of wild-type and mutant AmpR of Citrobacter freundii with target DNA E. Bartowsky & S. Normark
- Isolation of the periplasm of Neisseria gonorrhoeae
 R. C. Judd & S. F. Porcella
- 575 Correlation of gene transcription with the time of initiation of chromosome replication in *Escherichia coli*P. W. Theisen, J. E. Grimwade, A. C. Leonard, J. A. Bogan & C. E. Helmstetter
- 585 A proline-rich protein, verprolin, involved in cytoskeletal organization and cellular growth in the yeast *Saccharomyces cerevisiae*S. F. H. Donnelly, M. J. Pocklington, D. Pallotta & F. Orr
- 597 Restoration of attachment, virulence and nodulation of Agrobacterium tumefaciens chvB mutants by rhicadhesin S. Swart, G. Smit, B. J. J. Lugtenberg & J. W. Kijne
- 607 Transcriptional organization of the Escherichia coli pilus adhesin K99 O. J. Inoue, J. H. Lee & R. E. Isaacson
- 615 Structural variation in the O-specific polysaccharides of *Klebsiella pneumoniae* serotype 01 and 08 lipopolysaccharide: evidence for clonal diversity in *rfb* genes R. F. Kelly, W. B. Severn, J. C. Richards, M. B. Perry, L. L. MacLean, J. M. Tomás, S. Merino & C. Whitfield

- 627 Activation and mechanism of Clostridium septicum alpha toxin J. Ballard, Y. Sokolov, W.-L. Yuan, B. L. Kagan & R. K. Tweten
- 635 Suppression of temperature-sensitive assembly mutants of heat-labile enterotoxin B subunits

 M. Sandkvist & M. Bagdasarian
- 647 pH-dependent permeabilization of the plasma membrane of mammalian cells by anthrax protective antigen J. C. Milne & R. J. Collier
- 655 The Xbal-Blnl-Ceul genomic cleavage map of Salmonella enteritidis shows an inversion relative to Salmonella typhimurium LT2 S.-L. Liu, A. Hessel, & K. E. Sanderson
- 665 The general secretory pathway of Klebsiella oxytoca: no evidence for relocalization or assembly of pilin-like PulG protein into a multiprotein complex

 A. P. Pugsley & O. Possot
- 675 Chromosomal supercoiling in Escherichia coli W. G. Miller & R. W. Simons
- 685 Chromosomal domains of supercoiling in Salmonella typhimurium
 G. D. Pavitt & C. F. Higgins
- 697 MicroCorrespondence

VOLUME 10 NUMBER 4

Research Articles

- 699 A novel determinant (comA) essential for natural transformation competence in Neisseria gonorrhoeae and the effect of a comA defect on pilin variation D. Facius & T. F. Meyer
- 713 Light-induced carotenogenesis in Myxococcus xanthus: DNA sequence analysis of the carR region S. J. McGowan, H. C. Gorham & D. A. Hodgson
- 737 Specific transcriptional requirements for positive regulation of the anaerobically inducible *pfl* operon by ArcA and FNR G. Sawers
- 749 Identification of a gene required for the oxygen-regulated formation of the photosynthetic apparatus of *Rhodobacter capsulatus* M. Pollich, S. Jock & G. Klug
- 759 Large genomic rearrangements of the unstable region in *Streptomyces ambofaciens* are associated with major changes in global gene expression

 A. Dary, P. Kaiser, N. Bourget, C. J. Thompson, J.-M. Simonet & B. Decaris

- 771 Protein-nucleoside contacts in the interaction between the replication terminator protein of Bacillus subtilis and the DNA terminator D. B. Langley, M. T. Smith, P. J. Lewis & R. G. Wake
- 781 Loss of activity in the secreted form of Escherichia coli haemolysin caused by an rfaP lesion in core lipopolysaccharide assembly P. L. D. Stanley, P. Diaz, M. J. A. Bailey, D. Gygi, A. Juarez & C. Hughes
- 789 Interactions between the Escherichia coli cyclic AMP receptor protein and RNA polymerase at Class II promoters
 D. West, R. Williams, V. Rhodius, A. Bell, N. Sharma, C. Zou, N. Fuilta. A. Ishihama & S. Busby
- 799 Mode and origin of replication of pSAM2, a conjugative integrating element of *Streptomyces ambofaciens*J. Hagège, J.-L. Pernodet, A. Friedmann & M. Guérineau
- 813 Construction of chimeric proteins from the σ^N-associated transcriptional activators VnfA and AnfA of *Azotobacter vinelandii* shows that the determinants of promoter specificity lie outside the 'recognition' helix of the HTH motif in the *C*-terminal domain J. Jacob & M. Drummond
- 823 Secondary sites for integration mediated by the Tn21 integrase
 M. V. Francia, F. de la Cruz & J. M. García-Lobo
- A Mycobacterium leprae-specific gene encoding an immunologically recognized 45 kDa protein
 T. F. Rinke de Wit, J. E. Clark-Curtiss, F. Abebe, A. H. J. Kolk, A. A. M. Janson, M. van Agterveld & J. E. R. Thole
- Molecular and genetic characterization of superoxide dismutase in *Haemophilus* influenzae type b
 J. S. Kroll, P. R. Langford, J. R. Saah &
 B. M. Loynds
- 849 Branched Escherichia coli cells
 T. Åkerlund, K. Nordström & R. Bernander
- Morphogenesis-independent regulation of actin transcript levels in the pathogenic yeast Candida albicans
 S. Delbrück & J. F. Ernst
- 867 Transaldolase mutants in the yeast
 Kluyveromyces lactis provide evidence that
 glucose can be metabolized through the
 pentose phosphate pathway
 J. Jacoby, C. P. Hollenberg & J. J. Heinisch
- 877 Interaction of a redox-sensitive DNA-binding factor with the 5'-flanking region of the *micF* gene in *Escherichia coli*X. Gidrol & S. Farr
- 885 Repair of cyclobutane pyrimidine dimers and 6-4 photoproducts in the fission yeast Schizosaccharomyces pombe
 S. McCready, A. M. Carr & A. R. Lehmann

891 The ompS gene of Vibrio cholerae encodes a growth-phase-dependent maltoporin
H. Lång & E. T. Palva

VOLUME 10 NUMBER 5

MicroReviews

- 903 In a class of its own the RNA polymerase sigma factor σ⁵⁴ (σ^N) M. J. Merrick
- 911 Crystalline bacterial cell surface layers U. B. Sleytr, P. Messner, D. Pum & M. Sára
- 917 Linear plasmids and chromosomes in bacteria J. Hinnebusch & K. Tilly

Research Articles

- 923 The chromosomal DNA of *Streptomyces lividans* 66 is linear
 Y.-S. Lin, H. M. Kieser, D. A. Hopwood & C. W. Chen
- 935 The genus-specific lipopolysaccharide epitope of *Chlamydia* is assembled in *C. psittaci* and *C. trachomatis* by glycosyltransferases of low homology

 U. Mamat, M. Baumann, G. Schmidt & H. Brade
- 943 The conserved proline-rich motif is not essential for energy transduction by Escherichia coli TonB protein R. A. Larsen, G. E. Wood & K. Postle
- 955 Differential regulation of two myo-inositol transporter genes of Saccharomyces cerevisiae

 J. Nikawa, K. Hosaka & S. Yamashita
- 963 The appearance of the UmuD'C protein complex in Escherichia coli switches repair from homologous recombination to SOS mutagenesis S. Sommer, A. Bailone & R. Devoret
- 973 DNA loop formation between Nagrepressor molecules bound to its two operator sites is necessary for repression of the nag regulon of Escherichia coli in vivo J. Plumbridge & A. Kolb
- 983 Construction and use of integrative vectors to express foreign genes in mycobacteria
 O. A. Dellagostin, S. Wall, E. Norman, T.
 O'Shaughnessy, J. W. Dale & J. McFadden
- 995 Hydrophobic domains affect the collagenbinding specificity and surface polymerization as well as the virulence potential of the YadA protein of Yersinia enterocolitica A. Tamm, A.-M. Tarkkanen, T. K. Korhonen, P. Kuusela, P. Toivanen & M. Skurnik
- 1013 Pilus-facilitated adherence of Neisseria meningitidis to human epithelial and endothelial cells: modulation of adherence phenotype occurs concurrently with changes in primary amino acid sequence and the glycosylation status of pillin M. Virji, J. R. Saunders, G. Sims, K. Makepeace, D. Maskell & D. J. P. Ferguson

- 1029 A novel ompC mutation of Escherichia coli K-12 that reduces OmpC and OmpF levels in the outer membrane R. Misra
- 1037 Identification of a phosphorylation site and functional analysis of conserved aspartic acid residues of OmpR, a transcriptional activator for ompF and ompC in Escherichia coli

J. Delgado, S. Forst, S. Harlocker & M. Inouve

1049 Protein F: an adhesin of Streptococcus pyogenes binds fibronectin via two distinct domains S. Sela, A. Aviv, A. Tovi, I. Burstein,

M. G. Caparon & E. Hanski

- 1057 Nature of DNA polymorphism in the direct repeat cluster of Mycobacterium tuberculosis; application for strain differentiation by a novel typing method P. M. A. Groenen, A. E. Bunschoten, D. van Soolingen & J. D. A. van Embden
- 1067 Viability and preliminary in vivo characterization of site-directed mutants of Escherichia coli single-stranded DNA-binding protein L. E. Carlini, R. D. Porter, U. Curth & C. Urbanke
- 1077 Sensory rhodopsin-controlled release of the switch factor fumarate in Halobacterium salinarium M. Montrone, W. Marwan, H. Grünberg, S. Mußeleck, C. Starostzik & D. Oesterhelt
- 1087 A physical and genetic map of the Stigmatella aurantiaca DW4/3.1 chromosome B. Neumann, A. Pospiech & H. U. Schairer
- 1101 A gene encoding sn-glycerol 3-phosphate dehydrogenase (NAD+) complements an osmosensitive mutant of Saccharomyces cerevisiae K. Larsson, R. Ansell, P. Eriksson & L. Adler
- 1113 Molecular analysis of the Lactococcus lactis subspecies lactis CNRZ270 bidirectional theta replicating lactose plasmid pUCL22 J. Frère, M. Novel & G. Novel

- 1125 Hyper-invasive mutants define a novel Phoregulated invasion pathway in Escherichia coli A. P. Sinai & P. M. Bavoil
- 1139 The Cro-like Apl repressor of coliphage 186 is required for prophage excision and binds near the phage attachment site I. B. Dodd, M. R. Reed & J. B. Egan
- 1151 MicroCorrespondence

Corrigenda

- 1153 Spatial expression and autoregulation of hetR. a gene involved in the control of heterocyst development in Anabaena T. A. Black, Y. Cai & C. P. Wolk
- 1154 A pleiotropic reduced virulence (Rvi⁻) mutant of Erwinia carotovora subspecies atroseptica is defective in flagella assembly proteins that are conserved in plant and animal bacterial pathogens V. Mulholland, J. C. D. Hinton, J. Sidebotham, I. K. Toth, L. J. Hyman, M. C. M. Perombelon, P. J. Reeves & G. P. C. Salmond

Errata

- 1155 Sequencing of a Clostridium thermocellum gene (cipA) encoding the cellulosomal S_Lprotein reveals an unusual degree of internal homology U. T. Gerngross, M. P. M. Romaniec, T. Kobayashi, N. S. Huskisson & A. L. Demain
- 1155 Retarded RNA turnover in Escherichia coli: a means of maintaining gene expression during anaerobiosis D. Georgellis, T. Barlow, S. Arvidson &
 - A. von Gabain

Indexes

- 1157 Keyword Index
- 1161 Author Index